
## Math Wars – AB Calculus Topic 116 – Curve Sketching



**Maximum Time: 7.5 Minutes** 

**Directions**: To start, you need to download the Math Wars application on your cell phone: Use the QR code or the url: <a href="https://mastermathmentor.com/mmm/mathwars.ashx?key=116">https://mastermathmentor.com/mmm/mathwars.ashx?key=116</a>



When ready, start the timer and then solve the problems below, entering your choice, A, B, C, D and pressing Submit for each problem when you are sure of your answer. When complete, stop the timer. You will see problems you got correct in green and incorrect in red. You will receive a score based on how many problems you got right and your time. A perfect score is all problems correct using half the maximum time or less. You can text or email your friends with your results.

1. (1 pt) Suppose the graph of f'(x) is the x-axis. The graph of f(x) could be

I. the *x*-axis

II. All lines parallel to the *x*-axis


A. I only

B. II only


C. Both I and II

D. Both I and II and other lines


2. (3 pts) Which of the following graphs of f(x) has the characteristic that f'(x) < 0 and f''(x) < 0?



II.



III.



A. I only

B. I and II only

C. I and III only

D. I and III only

3. (5 pts) The graph of f'(x) is shown to the right. If the graph is translated one unit down, which of the following shows the possible function associated with the new graph?





A


B. . . . .

C.

4. (7 pts) The graph of f'(x) is shown to the right. Which of the following could be the graph of f(x)?







A. I only


I.

B. II only

II.

C. III only

- D. I, II and III
- 5. (9 pts) The graph of f'(x) is shown to the right. How many of the following statements are untrue?



ii. 
$$f$$
 has a relative minimum at  $x = 1$  iv.  $f$  is concave down on  $(2, 4)$ 

iii. 
$$f$$
 is differentiable at  $x = 1$ 

iv. 
$$f$$
 is concave down on  $(2, 4)$ 

iii. 
$$f$$
 is differentiable at  $x = 1$  iv.  $f$  is concave down on  $(2, 4)$  v.  $f'$  has a relative maximum at  $x = 3$  vi.  $f''$  is decreasing on  $(-3, 0)$ 

vi. 
$$f''$$
 is decreasing on  $(-3,$ 

A. 2

B. 3

C. 4

D. 5